ELSEVIER

Applied Numerical Mathematics 18 (1995) 503–504

APPLIED NUMERICAL MATHEMATICS

Author Index—Volume 18 (1995)

(The issue number is given in front of the page numbers)

Amodio, P., W.L. Golik and **F. Mazzia**, Variable-step boundary value methods based on reverse Adams schemes and their grid redistribution (1–3) 5– 21
Amodio, P. and **F. Mazzia**, Boundary value methods based on Adams-type methods (1–3) 23– 35
Arnold, M., A perturbation analysis for the dynamical simulation of mechanical multibody systems (1–3) 37– 56
Auzinger, W. and **K. Kirlinger**, Kreiss resolvent conditions and strengthened Cauchy–Schwarz inequalities (1–3) 57– 67

Bock, H.G., see **von Schwerin, R.** (1–3) 337–350
Brugnano, L. and **D. Trigiante**, High-order multistep methods for boundary value problems (1–3) 79– 94

Calvo, M.P. and **E. Hairer**, Accurate long-term integration of dynamical systems (1–3) 95–105
Calvo, M.P. and **E. Hairer**, Further reduction in the number of independent order conditions for symplectic, explicit Partitioned Runge–Kutta and Runge–Kutta–Nyström methods (1–3) 107–114

DeLong, M.A. and **J.M. Ortega**, SOR as a preconditioner (4) 431–440
De Meyer, H., see **Vanden Berghe, G.** (1–3) 69– 78
De Sturler, E. and **H.A. van der Vorst**, Reducing the effect of global communication in GMRES(m) and CG on parallel distributed memory computers (4) 441–459
De Swart, J.J.B., Efficient parallel predictor–corrector methods (1–3) 387–396
De Swart, J.J.B., see **van der Veen, W.A.** (1–3) 397–411

Elnagar, G.N. and **M.A. Kazemi**, A cell-averaging Chebyshev spectral method for the controlled Duffing oscillator (4) 461–471
Engl, G., see **Neumeyer, T.** (1–3) 293–305

French, D.A. and **S. Jensen**, Global dynamics of a discontinuous Galerkin approximation to a class of reaction–diffusion equations (4) 473–487

Gerstberger, R. and **M. Günther**, Charge-oriented extrapolation methods in digital circuit simulation (1–3) 115–125
Ghelardoni, P., G. Gheri and **P. Marzulli**, Error estimates for parallel shooting using initial or boundary value methods (1–3) 127–139
Ghelardoni, P. and **P. Marzulli**, Stability of some boundary value methods for IVPs (1–3) 141–153
Gheri, G., see **Ghelardoni, P.** (1–3) 127–139
Golik, W.L., see **Amodio, P.** (1–3) 5– 21
Günther, M., see **Gerstberger, R.** (1–3) 115–125

Hairer, E., see **Calvo, M.P.** (1–3) 95–105
Hairer, E., see **Calvo, M.P.** (1–3) 107–114
Higham, D.J. and **T. Sardar**, Existence and stability of fixed points for a discretised nonlinear reaction–diffusion equation with delay (1–3) 155–173
Hundsdorfer, W. and **J.G. Verwer**, A note on splitting errors for advection–reaction equations (1–3) 191–199

In 't Hout, K.J., On the convergence of waveform relaxation methods for stiff nonlinear ordinary differential equations (1–3) 175–190

Jensen, S., see **French, D.A.** (4) 473–487

Kauthen, J.-P., Implicit Runge–Kutta methods for singularly perturbed integro-differential systems (1–3) 201–210
Kazemi, M.A., see **Elnagar, G.N.** (4) 461–471
Kirlinger, K., see **Auzinger, W.** (1–3) 57– 67
Knoth, O. and **R. Wolke**, Numerical methods for the solution of large kinetic systems (1–3) 211–221

Lang, J., Two-dimensional fully adaptive solutions of reaction–diffusion equations (1–3) 223–240
Lubich, C. and **A. Ostermann**, Interior estimates for time discretizations of parabolic equations (1–3) 241–251

Elsevier Science B.V.

Lucht, W., A finite element method for an ill-posed problem (1–3) 253–266

März, R., On linear differential-algebraic equations and linearizations (1–3) 267–292
Marzulli, P., see **Ghelardoni, P.** (1–3) 127–139
Marzulli, P., see **Ghelardoni, P.** (1–3) 141–153
Mazzia, F., see **Amodio, P.** (1–3) 5– 21
Mazzia, F., see **Amodio, P.** (1–3) 23– 35

Neumeyer, T., G. Engl and **P. Rentrop**, Numerical benchmark for the charge cycle in a combustion engine (1–3) 293–305

Ortega, J.M., see **DeLong, M.A.** (4) 431–440
Ostermann, A., see **Lubich, C.** (1–3) 241–251

Rentrop, P., see **Neumeyer, T.** (1–3) 293–305
Ryaben'kii, V.S. and **S.V. Tsynkov**, An effective numerical technique for solving a special class of ordinary difference equations (4) 489–501

Sardar, T., see **Higham, D.J.** (1–3) 155–173
Schmitt, B.A. and **R. Weiner**, Matrix-free W-methods using a multiple Arnoldi iteration (1–3) 307–320
Schropp, J., Using dynamical systems methods to solve minimization problems (1–3) 321–335
Schwitzer, F., W-methods for semilinear parabolic equations (1–3) 351–366
Simpson, D., see **Verwer, J.G.** (1–3) 413–430
Spijker, M.N., The effect of the stopping of the Newton iteration in implicit linear multistep methods (1–3) 367–386

Trigiante, D., see **Brugnano, L.** (1–3) 79– 94
Tsynkov, S.V., see **Ryaben'kii, V.S.** (4) 489–501

Van Daele, M., see **Vanden Berghe, G.** (1–3) 69– 78
Vanden Berghe, G., M. Van Daele and **H. De Meyer**, A modified difference scheme for periodic and semiperiodic Sturm–Liouville problems (1–3) 69– 78
Van der Houwen, P.J., see **van der Veen, W.A.** (1–3) 397–411
Van der Veen, W.A., J.J.B. de Swart and **P.J. van der Houwen**, Convergence aspects of step-parallel iteration of Runge–Kutta methods (1–3) 397–411
Van der Vorst, H.A., see **de Sturler, E.** (4) 441–459
Verwer, J.G., see **Hundsdorfer, W.** (1–3) 191–199
Verwer, J.G. and **D. Simpson**, Explicit methods for stiff ODEs from atmospheric chemistry (1–3) 413–430
Von Schwerin, R. and **H.G. Bock**, A Runge–Kutta starter for a multistep method for differential-algebraic systems with discontinuous effects (1–3) 337–350

Weiner, R., see **Schmitt, B.A.** (1–3) 307–320
Wolke, R., see **Knoth, O.** (1–3) 211–221